

Instruction Sheet

VIQUA Softener and Filter Filling Instructions

⚠ WARNING


- This product may contain Silica. Avoid inhalation of media dust or exposure to eyes and skin. Read Safety Data Sheets carefully.

NOTICE



- Read and understand the Instruction Sheet before operating and performing any maintenance on this equipment.
- Read and understand the Owner's Manual and the Safety Data Sheets before operating and performing any work on this equipment. Safety Data Sheets are available at www.viqua.com.
- Always use Personal Protective Equipment in accordance to the Safety Data Sheets.
- Post installation, ensure media is properly sanitized in accordance to the Owner's Manual.

Section 1 Filling Instructions



Media	Description
1	Media tank
2	Sealed distributor tube before filling
3	Distributor tube
4	Softener/Filter media - Refer to Section 3 in Table 1

Filling Instructions

Media	Description
5	Softener/Filter media - Refer to Section 2 in Table 1 (if applicable)
6	Gravel - Refer to Section 1 in Table 1

Instructions:

1. Use cap or tape to plug the distributor tube (Sanitizer systems are shipped with cap installed).
2. Place the provided funnel on media tank.
3. Pour in the provided gravel - Following the order from Section 1 in [Table 1](#).
4. Pour in media provided - Following the order from Section 2 (if applicable) and Section 3 in [Table 1](#).
5. Place valve on the media tank (Make sure to remove cap or tape used to plug distributor tube).

Table 1 Softener/Filter Media

Model	Section 1	Section 2	Section 3
Softener			
AWP72EB/-FM	28 LBS CA8072 GRAVEL #20	N/A	125 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
AWP72ETA	(2) x 28 LBS CA8072 GRAVEL #20	N/A	(2) x 125 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
AWP90EB/-FM	35 LBS CA8072 GRAVEL #20	N/A	150 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
WS70CC/-FM/-T	28 LBS CA8072 GRAVEL #20	N/A	110 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
WS90CC/-FM/-T	35 LBS CA8072 GRAVEL #20	N/A	150 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
WS120CC/AWP120E	40 LBS CA8072 GRAVEL #20	N/A	150 LBS CG8-HPB/C-800-FB Standard/Fine Mesh Resin
EV/AWP1354SE1/2	28 LBS CA8072 GRAVEL #20	N/A	125 LBS CR-100B/CR-200B CRYSTAL-RIGHT® CR100 white mineral / CRYSTAL-RIGHT® CR200 blue mineral
EV/AWP1354SE1/2-HS	28 LBS CA8072 GRAVEL #20	21 LBS MIN-PLUSB KDF85, Oxidizing media	125 LBS CR-100B/CR-200B CRYSTAL-RIGHT® CR100 white mineral / CRYSTAL-RIGHT® CR200 blue mineral
EV/AWP1465SE1/2	35 LBS CA8072 GRAVEL #20	N/A	175 LBS CR-100B/CR-200B CRYSTAL-RIGHT® CR100 white mineral / CRYSTAL-RIGHT® CR200 blue mineral

Table 1 Softener/Filter Media (Continued)

Model	Section 1	Section 2	Section 3
EV/AWP1465SE1/2-HS	35 LBS CA8072 GRAVEL #20	24 LBS MIN-PLUSB KDF85, Oxidizing media	175 LBS CR-100B/CR-200B CRYSTAL-RIGHT® CR100 white mineral / CRYSTAL-RIGHT® CR200 blue mineral
Filter			
WS/AWP1354IMT1	28 LBS CA8072 GRAVEL #20	40 LBS CR-100B CRYSTAL-RIGHT® CR100 white mineral	70 LBS A860B Tannin resin
WS/AWP1465IMT1	35 LBS CA8072 GRAVEL #20	50 LBS CR-100B CRYSTAL-RIGHT® CR100 white mineral	100 LBS A860B Tannin resin
WSBFI/AWPBFI-1354MZ	21 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	137 LBS A7200B Filter Z
WSBFI-1354ZA/AWPBFI-1354NA/ WSNTZ-1354BA	21 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	110 LBS A7200B Filter Z
WSBFI/AWPBFI-1465MZ/-1.25	28 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	165 LBS A7200B Filter Z
WSBFI/AWPBFI-1354C	21 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	75 LBS CA8009-14B Carbon
WSBFI/AWPBFI-1354CS	21 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	60 LBS CA8056B Catalytic Carbon
WSBFI/AWPBFI-1465C	28 LBS CA8073 Gravel 1/4" X 1/8"	7 LBS CA8072 GRAVEL #20	90 LBS CA8009-14B Carbon



425 Clair Rd. W, Guelph, Ontario, Canada N1L 1R1
t. (+1) 519.763.1032 • tf. (+1) 800.265.7246 (US and Canada only)
t. (+31) 73 747 0144 (Europe only) • f. (+1) 519.763.5069
e-mail: info@viqua.com
www.viqua.com